

First author

- 1.Yamaji K, Kimura T, Morimoto T, Nakagawa Y, Inoue K, Soga Y, Arita T, Shirai S, Ando K, Kondo K, Sakai K, Goya M, Iwabuchi M, Yokoi H, Nosaka H, Nobuyoshi M. "Very long-term (15 to 20 years) clinical and angiographic outcome after coronary bare metal stent implantation." *Circ Cardiovasc Interv.* 2010 Oct;3(5):468-75.
- 2.Yamaji K, Inoue K, Nakahashi T, Noguchi M, Domei T, Hyodo M, Soga Y, Shirai S, Ando K, Kondo K, Sakai K, Iwabuchi M, Yokoi H, Nosaka H, Nobuyoshi M, Kimura T. "Bare metal stent thrombosis and in-stent neoatherosclerosis." *Circ Cardiovasc Interv.* 2012 Feb 1;5(1):47-54.
- 3.Yamaji K, Kimura T, Morimoto T, Nakagawa Y, Inoue K, Kuramitsu S, Soga Y, Arita T, Shirai S, Ando K, Kondo K, Sakai K, Iwabuchi M, Yokoi H, Nosaka H, Nobuyoshi M. "Very Long-Term (15-23 years) Outcomes of Successful Balloon Angioplasty Compared with Bare Metal Coronary Stenting" *J Am Heart Assoc.* 2012;1:e004085.
- 4.Yamaji K, Fujii K, Kohsaka S, Sumitsuji A, Hayashi T, Nakamura S, Nanto S. "Report from J-PCI registry" *CVIT Jpn Ed* 2013;5:55-59. Article in Japanese.
- 5.Yamaji K, Kimura T, Morimoto T, Nakagawa Y, Inoue K, Nobuyoshi M, Mitsudo K. "Percutaneous Coronary Intervention in Patients with Prior Coronary Artery Bypass Grafting (From the j-Cypher Registry)" *Am J Cardiol.* 2013 Oct 15;112(8):1110-9.
- 6.Nakamura Y*, Yamaji K*, Saho T, Matsuzaki Z, Yuda I, Soga Y, Shirai S, Ando K, Nobuyoshi M. (* equal contributors) A comparison of bolus injection of landiolol versus oral administration of propranolol before cardiac computed tomography. *SpringerPlus* 2014;3:93.
- 7.Yamaji K. 9. Coronary artery disease (1): percutaneous coronary intervention. *Nihon Hoshasen Gijutsu Gakkai Zasshi.* 2014 Apr;70(4):401-5. Article in Japanese.
- 8.Yamaji K, Kubo S, Inoue K, Kadota K, Kuramitsu S, Shirai S, Ando K, Nobuyoshi M, Mitsudo K, Kimura T. Association of localized hypersensitivity and in-stent neoatherosclerosis with the very late drug-eluting stent thrombosis. *PLoS One.* 2014 Nov 25;9(11):e113870.
- 9.Yamaji K, Natsuaki M, Morimoto T, Ono K, Furukawa Y, Nakagawa Y, Kadota K, Ando K, Shirai S, Watanabe H, Shiomi H, Kimura T. Long-Term Outcomes After Coronary Stent Implantation in Patients Presenting With Versus Without Acute Myocardial Infarction (an Observation from Coronary Revascularization Demonstrating Outcome Study-Kyoto Registry Cohort-2). *Am J Cardiol.* 2015 Jul 1;116(1):15-23.
- 10.Yamaji K, Shiomi H, Morimoto T, Toyota T, Ono K, Furukawa Y, Nakagawa Y, Kadota K, Ando K, Shirai S, Kato M, Takatsu Y, Doi O, Kambara H, Suwa S, Onodera T, Watanabe H, Natsuaki M, Kimura T. Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto) Registry Cohort-1. *Circulation.* 2015 Dec 15;132(24):2323-33.
- 11.Yamaji K, Shiomi H, Morimoto T, Nakatsuma K, Toyota T, Ono K, Furukawa Y, Nakagawa Y, Kadota K, Ando K, Shirai S, Onodera T, Watanabe H, Natsuaki M, Sakata R, Hanyu M, Nishiwaki N, Komiya T, Kimura T. Effects of Age and Sex on Clinical Outcomes after Percutaneous Coronary Intervention Relative to Coronary Artery Bypass Grafting in Patients with Triple Vessel Coronary Artery Disease. *Circulation.* 2016 May 10;133(19):1878-91.
- 12.Yamaji K, Räber L, Zanchin T, Spitzer E, Zanchin C, Pilgrim T, Stortecky S, Moschovitis A, Billinger M, Schönenberger C, Eberli F, Jüni P, Lüscher TF, Heg D, Windecker S. Ten-year clinical outcomes of first-generation drug-eluting stents: the Sirolimus-Eluting vs. Paclitaxel-Eluting Stents for Coronary Revascularization (SIRTAX) VERY LATE trial. *Eur Heart J.* 2016 Dec 1;37(45):3386-3395.
- 13.Yamaji K, Kohsaka S, Morimoto T, Fujii K, Amano T, Uemura S, Akasaka T, Kadota K, Nakamura M, Kimura T; J-PCI Registry Investigators. Relation of ST-Segment Elevation Myocardial Infarction to Daily Ambient Temperature and Air Pollutant Levels in a Japanese Nationwide Percutaneous Coronary Intervention Registry. *Am J Cardiol.* 2017 Mar 15;119(6):872-880.
- 14.Yamaji K, Räber L, Windecker S. What determines long-term outcomes using fully bioresorbable scaffolds - the device, the operator or the lesion? *EuroIntervention.* 2017 Feb 20;12(14):1684-1687.
- 15.Yamaji K, Brugaletta S, Sabaté M, Iñiguez A, Jensen LO, Cequier A, Hofma SH, Christiansen EH, Suttorp M, van Es GA, Sotomi Y, Onuma Y, Serruys PW, Windecker S, Räber L. Effect of Post-Dilatation Following Primary PCI With Everolimus-Eluting Bioresorbable Scaffold Versus Everolimus-Eluting Metallic Stent Implantation: An Angiographic and Optical Coherence Tomography TROFI II Substudy. *JACC Cardiovasc Interv.* 2017 Sep 25;10(18):1867-1877.
- 16.Yamaji K, Ueki Y, Souteyrand G, Daemen J, Wiebe J, Nef H, Adriaenssens T, Loh JP, Lattuca B, Wykrzykowska JJ, Gomez-Lara J, Timmers L, Motreff P, Hoppmann P, Abdel-Wahab M, Byrne RA, Meincke F, Boeder N, Honton B, O'Sullivan CJ, Ielasi A, Delarche N, Christ G, Lee JKT, Lee M, Amabile N, Karagiannis A, Windecker S, Räber L. Mechanisms of Very Late Bioresorbable Scaffold Thrombosis: The INVEST Registry. *J Am Coll Cardiol.* 2017 Nov 7;70(19):2330-2344.
- 17.Yamaji K, Kimura T. COMBO dual-therapy stent: non-inferior to drug-eluting stents or stepping back to bare metal stents? *Eur Heart J.* 2018;39:2469-2471.

Corresponding-author

-
- 18.Takeji Y, Yamaji K, Tomoi Y, Okazaki J, Tanaka K, Nagae A, Jinnouchi H, Hiramori S, Soga Y, Ando K. Impact of Frailty on Clinical Outcomes in Patients With Critical Limb Ischemia. *Circ Cardiovasc Interv.* 2018 Jul;11(7):e006778.
 - 19.Hirose K, Yamaji K, Sakaguchi G, Okamoto K, Ando K. Recurrent cerebral infarctions due to a sewing needle penetrating the left ventricle. *Eur Heart J Cardiovasc Imaging.* 2019 Jan 30 in press.
 - 20.Kubo S, Yamaji K, Inohara T, Kohsaka S, Tanaka H, Ishii H, Uemura S, Amano T, Nakamura M, Kadota K. In-Hospital Outcomes After Percutaneous Coronary Intervention for Acute Coronary Syndrome With Cardiogenic Shock (from a Japanese Nationwide Registry [J-PCI Registry]). *Am J Cardiol.* 2019 in press.
 - 21.Tomoi Y, Yamaji K, Soga Y, Hiramori S, Ando K. Serum Low-Density Lipoprotein Cholesterol Level After Endovascular Therapy in Patients With Claudication. *J Endovasc Ther.* 2019 in press.

Co-author

-
- 22.Shirai S, Kimura T, Nobuyoshi M, Morimoto T, Ando K, Soga Y, Yamaji K, Kondo K, Sakai K, Arita T, Goya M, Iwabuchi M, Yokoi H, Nosaka H, Mitsudo K; j-Cypher Registry Investigators. Impact of multiple and long sirolimus-eluting stent implantation on 3-year clinical outcomes in the j-Cypher Registry. *JACC Cardiovasc Interv.* 2010 Feb;3(2):180-8.
 - 23.Nobuyoshi M, Sakai K, Yamaji K. Indication for percutaneous coronary intervention. *Nihon Rinsho.* 2011 Sep;69 Suppl 7:269-74. Review.
 - 24.Shiomi H, Morimoto T, Hayano M, Furukawa Y, Nakagawa Y, Tazaki J, Imai M, Yamaji K, Tada T, Natsuaki M, Saijo S, Funakoshi S, Nagao K, Hanazawa K, Ehara N, Kadota K, Iwabuchi M, Shizuta S, Abe M, Sakata R, Okabayashi H, Hanyu M, Yamazaki F, Shimamoto M, Nishiwaki N, Imoto Y, Komiya T, Horie M, Fujiwara H, Mitsudo K, Nobuyoshi M, Kita T, Kimura T; CREDO-Kyoto PCI/CABG Registry Cohort-2 Investigators. Comparison of Long-Term Outcome After Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting in Patients With Unprotected Left Main Coronary Artery Disease (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). *Am J Cardiol.* 2012 Oct 1;110(7):924-32.
 - 25.Shiomi H, Nakagawa Y, Morimoto T, Furukawa Y, Nakano A, Shirai S, Taniguchi R, Yamaji K, Nagao K, Suyama T, Mitsuoka H, Araki M, Takashima H, Mizoguchi T, Eisawa H, Sugiyama S, Kimura T; CREDO-Kyoto AMI investigators. Association of onset to balloon and door to balloon time with long term clinical outcome in patients with ST elevation acute myocardial infarction having primary percutaneous coronary intervention: observational study. *BMJ.* 2012 May 23;344:e3257.
 - 26.Kuramitsu S, Iwabuchi M, Haraguchi T, Domei T, Nagae A, Hyodo M, Yamaji K, Soga Y, Arita T, Shirai S, Kondo K, Ando K, Sakai K, Goya M, Takabatake Y, Sonoda S, Yokoi H, Toyota F, Nosaka H, Nobuyoshi M. Incidence and clinical impact of stent fracture after everolimus-eluting stent implantation. *Circ Cardiovasc Interv.* 2012 Oct;5(5):663-71.
 - 27.Nomura A, Yamaji K, Shirai S, Omata F, Soga Y, Nakashima M, Arita T, Ando K, Sakai K, Goya M, Yokoi H, Iwabuchi M, Nobuyoshi M Very long-term outcomes after percutaneous coronary intervention with bare metal stents for unprotected left main coronary artery disease *Eurointervention* 2012 Dec 20;8(8):962-9.
 - 28.Kuramitsu S, Yokoi H, Domei T, Nomura A, Watanabe H, Yamaji K, Soga Y, Arita T, Kondo K, Shirai S, Ando K, Sakai K, Iwabuchi M, Nosaka H, Nobuyoshi M. Impact of post-challenge hyperglycemia on clinical outcomes in japanese patients with stable angina undergoing percutaneous coronary intervention. *Cardiovasc Diabetol.* 2013 May 7;12(1):74.
 - 29.Tazaki J, Shiomi H, Morimoto T, Imai M, Yamaji K, Sakata R, Okabayashi H, Hanyu M, Shimamoto M, Nishiwaki N, Komiya T, Kimura T. Three-year outcome after percutaneous coronary intervention and coronary artery bypass grafting in patients with triple-vessel coronary artery disease: observations from the CREDO-Kyoto PCI/CABG registry cohort-2. *EuroIntervention.* 2013 Aug 22;9(4):437-45.
 - 30.Tazaki J, Shiomi H, Morimoto T, Imai M, Yamaji K, Sakata R, Okabayashi H, Hanyu M, Shimamoto M, Nishiwaki N, Komiya T, Kimura T; CREDO-Kyoto PCI/CABG registry cohort-2 investigators. Three-year outcome after percutaneous coronary intervention and coronary artery bypass grafting in patients with triple-vessel coronary artery disease: observations from the CREDO-Kyoto PCI/CABG registry cohort-2. *EuroIntervention.* 2013 Aug 22;9(4):437-45.
 - 31.Imai M, Kimura T, Morimoto T, Saito N, Shiomi H, Kawaguchi R, Kan H, Mukawa H, Fujita H, Ishise T, Hayashi F, Nagao K, Take S, Taniguchi H, Sakamoto H, Yamane T, Shirota K, Tamekiyo H, Okamura T, Kishi K, Miyazaki S, Yamamoto S, Yamaji K, Kawasaki T, Taguchi E, Nakajima H, Kosedo I, Tada T, Kadota K, Mitsudo K. Impact of angiographic peri-stent contrast staining (PSS) on late adverse events after sirolimus-eluting stent implantation: an observation from the multicenter j-Cypher registry PSS substudy. *Cardiovasc Interv Ther.* 2014 Jul;29(3):226-36.2014 Oct 20;176(3):753-9.

32.Natsuaki M, Morimoto T, Furukawa Y, Nakagawa Y, Kadota K, Yamaji K, Ando K, Shizuta S, Shiomi H, Tada T, Tazaki J, Kato Y, Hayano M, Abe M, Tamura T, Shirotani M, Miki S, Matsuda M, Takahashi M, Ishii K, Tanaka M, Aoyama T, Doi O, Hattori R, Kato M, Suwa S, Takizawa A, Takatsu Y, Shinoda E, Eizawa H, Takeda T, Lee JD, Inoko M, Ogawa H, Hamasaki S, Horie M, Nohara R, Kambara H, Fujiwara H, Mitsudo K, Nobuyoshi M, Kita T, Kimura T; on behalf of the CREDO-Kyoto PCI/CABG registry cohort-2 investigators. Late Adverse Events After Implantation of Sirolimus-Eluting Stent and Bare-Metal Stent: Long-Term (5-7 Years) Follow-Up of the Coronary Revascularization Demonstrating Outcome Study-Kyoto Registry Cohort-2. *Circ Cardiovasc Interv.* 2014 Apr 1;7(2):168-79.

33.Imai M, Kimura T, Morimoto T, Saito N, Shiomi H, Kawaguchi R, Kan H, Mukawa H, Fujita H, Ishise T, Hayashi F, Nagao K, Take S, Taniguchi H, Sakamoto H, Yamane T, Shirota K, Tamekiyo H, Okamura T, Kishi K, Miyazaki S, Yamamoto S, Yamaji K, Kawasaki T, Taguchi E, Nakajima H, Kosedo I, Tada T, Kadota K, Mitsudo K. Impact of angiographic peri-stent contrast staining (PSS) on late adverse events after sirolimus-eluting stent implantation: an observation from the multicenter j-Cypher registry PSS substudy. *Cardiovasc Interv Ther.* 2014 Jul;29(3):226-36

34.Natsuaki M, Morimoto T, Furukawa Y, Nakagawa Y, Kadota K, Yamaji K, Ando K, Shizuta S, Shiomi H, Tada T, Tazaki J, Kato Y, Hayano M, Abe M, Tamura T, Shirotani M, Miki S, Matsuda M, Takahashi M, Ishii K, Tanaka M, Aoyama T, Doi O, Hattori R, Kato M, Suwa S, Takizawa A, Takatsu Y, Shinoda E, Eizawa H, Takeda T, Lee JD, Inoko M, Ogawa H, Hamasaki S, Horie M, Nohara R, Kambara H, Fujiwara H, Mitsudo K, Nobuyoshi M, Kita T, Kimura T; CREDO-Kyoto PCI/CABG registry cohort-2 investigators. Late adverse events after implantation of sirolimus-eluting stent and bare-metal stent: long-term (5-7 years) follow-up of the Coronary Revascularization Demonstrating Outcome study-Kyoto registry Cohort-2. *Circ Cardiovasc Interv.* 2014 Apr;7(2):168-79.

35.Nakahashi T, Arita T, Yamaji K, Inoue K, Yokota T, Hoshii Y, Fukunaga M, Nomura A, Watanabe H, Miura S, Isotani A, Soga Y, Ando K, Iwabuchi M, Yokoi H, Nosaka H, Yamagishi M, Nobuyoshi M. Impact of clinical and echocardiographic characteristics on occurrence of cardiac events in cardiac amyloidosis as proven by endomyocardial biopsy. *Int J Cardiol.* 2014 Oct 20;176(3):753-9.

36.Watanabe H, Morimoto T, Natsuaki M, Furukawa Y, Nakagawa Y, Kadota K, Yamaji K, Ando K, Shizuta S, Shiomi H, Tada T, Tazaki J, Kato Y, Hayano M, Abe M, Tamura T, Shirotani M, Miki S, Matsuda M, Takahashi M, Ishii K, Tanaka M, Aoyama T, Doi O, Hattori R, Kato M, Suwa S, Takizawa A, Takatsu Y, Shinoda E, Eizawa H, Takeda T, Lee JD, Inoko M, Ogawa H, Hamasaki S, Horie M, Nohara R, Kambara H, Fujiwara H, Mitsudo K, Nobuyoshi M, Kita T, Kastrati A, Kimura T; CREDO-Kyoto PCI/CABG registry cohort-2 investigators. Antiplatelet therapy discontinuation and the risk of serious cardiovascular events after coronary stenting: observations from the CREDO-Kyoto Registry Cohort-2. *PLoS One.* 2015 Apr 8;10(4):e0124314.

37.Miura S, Arita T, Kumamaru H, Domei T, Yamaji K, Soga Y, Shirai S, Hanyu M, Ando K. Causes of death and mortality and evaluation of prognostic factors in patients with severe aortic stenosis in an aging society. *J Cardiol.* 2015 May;65(5):353-9.

38.Kuramitsu S, Hiromasa T, Enomoto S, Shinozaki T, Iwabuchi M, Mazaki T, Domei T, Yamaji K, Soga Y, Hyodo M, Shirai S, Ando K. Incidence and Clinical Impact of Stent Fracture After PROMUS Element Platinum Chromium Everolimus-Eluting Stent Implantation. *JACC Cardiovasc Interv.* 2015 Aug 17;8(9):1180-8.

39.Kuramitsu S, Kazuno Y, Sonoda S, Domei T, Jinnouchi H, Yamaji K, Soga Y, Shirai S, Ando K, Saito S. Vascular response to bioresorbable polymer sirolimus-eluting stent vs. permanent polymer everolimus-eluting stent at 9-month follow-up: an optical coherence tomography sub-study from the CENTURY II trial. *Eur Heart J Cardiovasc Imaging.* 2016 Jan;17(1):34-40.

40.Räber L, Brugaletta S, Yamaji K, O'Sullivan CJ, Otsuki S, Koppara T, Taniwaki M, Onuma Y, Freixa X, Eberli FR, Serruys PW, Joner M, Sabaté M, Windecker S. Very Late Scaffold Thrombosis: Intracoronary Imaging and Histopathological and Spectroscopic Findings. *J Am Coll Cardiol.* 2015 Oct 27;66(17):1901-14.

41.Jinnouchi H, Kuramitsu S, Shinozaki T, Hiromasa T, Kobayashi Y, Morinaga T, Yamaji K, Soga Y, Shirai S, Ando K. Two-year clinical outcomes of the NOBORI biolimus-eluting stents versus XIENCE/PROMUS everolimus-eluting stents in small vessel disease. *Catheter Cardiovasc Interv.* 2016 Nov;88(5):E132-E138.

42.Taniwaki M, Radu MD, Zaugg S, Amabile N, Garcia-Garcia HM, Yamaji K, Jørgensen E, Kelbæk H, Pilgrim T, Caussin C, Zanchin T, Veugeois A, Abildgaard U, Jüni P, Cook S, Koskinas KC, Windecker S, Räber L. Mechanisms of Very Late Drug-Eluting Stent Thrombosis Assessed by Optical Coherence Tomography. *Circulation.* 2016 Feb 16; 133(7):650-60.

43.Koskinas KC, Zaugg S, Yamaji K, García-García HM, Taniwaki M, Klingenberg R, Moschovitis A, Lüscher TF, van Tits LJ, Matter CM, Windecker S, Räber L. Changes of coronary plaque composition correlate with C-reactive protein levels in patients with ST-elevation myocardial infarction following high-intensity statin therapy. *Atherosclerosis.* 2016 Feb 16;247:154-160.

44.Hayashi K, Fukunaga M, Yamaji K, An Y, Nagashima M, Hiroshima K, Ohe M, Makihara Y, Yamashita K, Ando K, Iwabuchi M, Goya M. Impact of Catheter Ablation for Paroxysmal Atrial Fibrillation in Patients With Sick Sinus Syndrome-Important Role of Non-Pulmonary Vein Foci. *Circ J.* 2016 Mar 25;80(4):887-94.

45.Räber L, Yamaji K, Windecker S. Reply: Mechanisms of Late and Very Late Bioresorbable Vascular Scaffold Thrombosis: Is it Only About Flow? *J Am Coll Cardiol.* 2016 Mar 15;67(10):1260.

- 46.Franzone A, Heg D, Räber L, Valgimigli M, Piccolo R, Zanchin T, Yamaji K, Stortecky S, Blöchliger S, Hunziker L, Praz F, Jüni P, Windecker S, Pilgrim T. External validity of the "all-comers" design: insights from the BIOSCIENCE trial. *Clin Res Cardiol.* 2016 Sep;105(9):744-54.
- 47.Räber L, Yamaji K, Windecker S. Reply: Mechanisms of Late and Very Late Bioresorbable Vascular Scaffold Thrombosis: Is it Only About Flow? *J Am Coll Cardiol.* 2016 Mar 15;67(10):1260.
- 48.Mazaki T, Kasai T, Yokoi H, Kuramitsu S, Yamaji K, Morinaga T, Masuda H, Shirai S, Ando K. Impact of Sleep-Disordered Breathing on Long-Term Outcomes in Patients With Acute Coronary Syndrome Who Have Undergone Primary Percutaneous Coronary Intervention. *J Am Heart Assoc.* 2016 Jun 15;5(6). pii: e003270.
- 49.Shiomi H, Yamaji K, Morimoto T, Shizuta S, Nakatsuma K, Higami H, Furukawa Y, Nakagawa Y, Kadota K, Ando K, Sakata R, Okabayashi H, Hanyu M, Shimamoto M, Nishiwaki N, Komiya T, Kimura T. Very Long-Term (10 to 14 Year) Outcomes After Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting for Multivessel Coronary Artery Disease in the Bare-Metal Stent Era. *Circ Cardiovasc Interv.* 2016 Aug;9(8). pii: e003365.
- 50.Miura S, Arita T, Domei T, Yamaji K, Soga Y, Hyodo M, Shirai S, Ando K. Impact of preprocedural atrial fibrillation on immediate and long-term outcomes after successful percutaneous mitral valvuloplasty of significant mitral stenosis. *Cardiovasc Interv Ther.* *Cardiovasc Interv Ther.* 2018 Jan;33(1):46-54.
- 51.Radu MD, Yamaji K, García-García HM, Zaugg S, Taniwaki M, Koskinas KC, Serruys PW, Windecker S, Dijkstra J, Räber L. Variability in the measurement of minimum fibrous cap thickness and reproducibility of fibroatheroma classification by optical coherence tomography using manual versus semi-automatic assessment. *EuroIntervention.* 2016 Oct 10;12(8):e987-e997
- 52.Spitzer E, Hadorn S, Zanchin T, Yamaji K, Moschovitis A, Pilgrim T, Stortecky S, Jüni P, Heg D, Windecker S, Räber L. External validity of a contemporaneous primary percutaneous coronary intervention trial in patients with acute ST-elevation myocardial infarction: insights from a single-centre investigation. *EuroIntervention.* 2016 Oct 20;12(9):1135-1143.
- 53.Kuramitsu S, Kazuno Y, Sonoda S, Domei T, Jinnouchi H, Yamaji K, Soga Y, Shirai S, Ando K, Saito S. Vascular response to bioresorbable polymer sirolimus-eluting stent vs. permanent polymer everolimus-eluting stent at 9-month follow-up: an optical coherence tomography sub-study from the CENTURY II trial. *Eur Heart J Cardiovasc Imaging.* 2016 Jan;17(1):34-40.
- 54.Ohya M, Kadota K, Toyofuku M, Morimoto T, Higami H, Fuku Y, Yamaji K, Muranishi H, Yamaji Y, Nishida K, Furukawa D, Tada T, Ko E, Ando K, Sakamoto H, Tamura T, Kawai K, Kimura T; AOI LMCA Stenting Registry Investigators. Long-Term Outcomes After Stent Implantation for Left Main Coronary Artery (from the Multicenter Assessing Optimal Percutaneous Coronary Intervention for Left Main Coronary Artery Stenting Registry). *Am J Cardiol.* 2017 Feb 1;119(3):355-364.
- 55.Koskinas KC, Zaugg S, Yamaji K, García-García HM, Taniwaki M, Klingenberg R, Moschovitis A, Lüscher TF, van Tits LJ, Matter CM, Windecker S, Räber L. Changes of coronary plaque composition correlate with C-reactive protein levels in patients with ST-elevation myocardial infarction following high-intensity statin therapy. *Atherosclerosis.* 2016 Apr; 247:154-60.
- 56.Jinnouchi H, Kuramitsu S, Shinozaki T, Hiromasa T, Kobayashi Y, Morinaga T, Yamaji K, Soga Y, Shirai S, Ando K. Two-year clinical outcomes of the NOBORI biolimus-eluting stents versus XIENCE/PROMUS everolimus-eluting stents in small vessel disease. *Catheter Cardiovasc Interv.* 2016 Nov;88(5):E132-E138.
- 57.Toyofuku M, Taniguchi T, Morimoto T, Yamaji K, Furukawa Y, Takahashi K, Tamura T, Shiomi H, Ando K, Kanamori N, Murata K, Kitai T, Kawase Y, Izumi C, Miyake M, Mitsuoka H, Kato M, Hirano Y, Matsuda S, Inada T, Murakami T, Takeuchi Y, Yamane K, Ishii M, Minamino-Muta E, Kato T, Inoko M, Ikeda T, Komasa A, Ishii K, Hotta K, Higashitani N, Kato Y, Inuzuka Y, Maeda C, Jinnai T, Morikami Y, Saito N, Minatoya K, Kimura T; CURRENT AS Registry Investigators. Sex Differences in Severe Aortic Stenosis- Clinical Presentation and Mortality. *Circ J.* 2017 Jul 25;81(8):1213-1221.
- 58.Inohara T, Kohsaka S, Yamaji K, Amano T, Fujii K, Oda H, Uemura S, Kadota K, Miyata H, Nakamura M; J-PCI Registry Investigators. Impact of Institutional and Operator Volume on Short-Term Outcomes of Percutaneous Coronary Intervention: A Report From the Japanese Nationwide Registry. *JACC Cardiovasc Interv.* 2017 May 8;10(9):918-927.
- 59.Toyofuku M, Taniguchi T, Morimoto T, Yamaji K, Furukawa Y, Takahashi K, Tamura T, Shiomi H, Ando K, Kanamori N, Murata K, Kitai T, Kawase Y, Izumi C, Miyake M, Mitsuoka H, Kato M, Hirano Y, Matsuda S, Inada T, Murakami T, Takeuchi Y, Yamane K, Ishii M, Minamino-Muta E, Kato T, Inoko M, Ikeda T, Komasa A, Ishii K, Hotta K, Higashitani N, Kato Y, Inuzuka Y, Maeda C, Jinnai T, Morikami Y, Saito N, Minatoya K, Kimura T; CURRENT AS Registry Investigators. Sex Differences in Severe Aortic Stenosis- Clinical Presentation and Mortality. *Circ J.* 2017 Jul 25;81(8):1213-1221.
- 60.Franzone A, Stortecky S, Räber L, Heg D, Yamaji K, Piccolo R, Asami M, Lanz J, Praz F, Koskinas K, Zanchin T, Wenaweser P, Valgimigli M, Jüni P, Pilgrim T, Windecker S. Effects of coronary artery disease in patients undergoing transcatheter aortic valve implantation: A study of age- and gender-matched cohorts. *Int J Cardiol.* 2017 Sep 15;243:150-155.

- 61.Higami H, Toyofuku M, Morimoto T, Ohya M, Fuku Y, Yamaji K, Muranishi H, Yamaji Y, Nishida K, Furukawa D, Tada T, Ko E, Ando K, Sakamoto H, Tamura T, Kawai K, Kadota K, Kimura T; AOI LMCA Stenting Registry Investigators. Impact of previous drug-eluting stent restenosis in non-left main coronary artery lesions on long-term outcomes after left main coronary artery stenting: an observation from the AOI-LMCA registry. *Cardiovasc Interv Ther.* 2017 in press.
- 62.Toyota T, Morimoto T, Shiomi H, Yamaji K, Ando K, Ono K, Shizuta S, Saito N, Kato T, Kaji S, Furukawa Y, Nakagawa Y, Kadota K, Horie M, Kimura T; CREDO-Kyoto PCI/CABG Registry Cohort-2 Investigators. Single-session versus staged procedures for elective multivessel percutaneous coronary intervention. *Heart.* 2018 Jun;104(11):936-944.
- 63.Inohara T, Kohsaka S, Yamaji K, Amano T, Fujii K, Oda H, Uemura S, Kadota K, Miyata H, Nakamura M; J-PCI Registry Investigators. Impact of Institutional and Operator Volume on Short-Term Outcomes of Percutaneous Coronary Intervention: A Report From the Japanese Nationwide Registry. *JACC Cardiovasc Interv.* 2017 May 8;10(9):918-927.
- 64.Watanabe H, Morimoto T, Shiomi H, Yamaji K, Shizuta S, Furukawa Y, Nakagawa Y, Kadota K, Ando K, Sakata R, Hanyu M, Nishiwaki N, Komiya T, Kimura T; CREDO-Kyoto PCI/CABG registry cohort-2 investigators. Documented coronary atherothrombosis as the cause of death in post-discharge patients after coronary revascularization. *Cardiovasc Revasc Med.* 2017 in press.
- 65.Watanabe H, Morimoto T, Shiomi H, Yoshikawa Y, Kato T, Saito N, Shizuta S, Ono K, Yamaji K, Ando K, Kaji S, Furukawa Y, Akao M, Ishikawa T, Tamura T, Yamamoto Y, Muramatsu T, Suwa S, Nakagawa Y, Kadota K, Takatsu Y, Nishikawa H, Hiasa Y, Hayashi Y, Miyazaki S, Kimura T. Mortality impact of post-discharge myocardial infarction size after percutaneous coronary intervention: a patient-level pooled analysis from the 4 large-scale Japanese studies. *Cardiovasc Interv Ther.* 2018 in press.
- 66.Matsumura-Nakano Y, Shiomi H, Morimoto T, Shizuta S, Yamaji K, Watanabe H, Yoshikawa Y, Taniguchi T, Kawaji T, Natsuaki M, Akasaka T, Hanaoka K, Kadota K, Kozuma K, Tanabe K, Nakagawa Y, Muramatsu T, Morino Y, Ando K, Kimura T. Sex Differences in Long-Term Clinical Outcomes in Patients With Atrial Fibrillation Undergoing Coronary Stent Implantation. *Circ J.* 2018 Jun 25;82(7):1754-1762.
- 67.Ito S, Watanabe H, Morimoto T, Yoshikawa Y, Shiomi H, Shizuta S, Ono K, Yamaji K, Soga Y, Hyodo M, Shirai S, Ando K, Horiuchi H, Kimura T. Impact of Baseline Thrombocytopenia on Bleeding and Mortality After Percutaneous Coronary Intervention. *Am J Cardiol.* 2018 Jun 1;121(11):1304-1314.
- 68.Fischer K, Yamaji K, Luescher S, Ueki Y, Jung B, von Tengg-Kobligk H, Windecker S, Friedrich MG, Eberle B, Guensch DP. Feasibility of cardiovascular magnetic resonance to detect oxygenation deficits in patients with multi-vessel coronary artery disease triggered by breathing maneuvers. *J Cardiovasc Magn Reson.* 2018 May 7;20(1):31.
- 69.Nishida K, Toyofuku M, Morimoto T, Ohya M, Fuku Y, Higami H, Yamaji K, Muranishi H, Yamaji Y, Furukawa D, Tada T, Ko E, Kadota K, Ando K, Sakamoto H, Tamura T, Kawai K, Kimura T; AOI LMCA Stenting Registry Investigators. Prognostic impact of final kissing balloon technique after crossover stenting for the left main coronary artery: from the AOI-LMCA registry. *Cardiovasc Interv Ther.* 2018 Apr 24. in press.
- 70.Natsuaki M, Morimoto T, Yamaji K, Watanabe H, Yoshikawa Y, Shiomi H, Nakagawa Y, Furukawa Y, Kadota K, Ando K, Akasaka T, Hanaoka KI, Kozuma K, Tanabe K, Morino Y, Muramatsu T, Kimura T; CREDO-Kyoto PCI/CABG Registry Cohort 2, RESET, and NEXT trial investigators. Prediction of Thrombotic and Bleeding Events After Percutaneous Coronary Intervention: CREDO-Kyoto Thrombotic and Bleeding Risk Scores. *J Am Heart Assoc.* 2018 May 22;7(11):e008708.
- 71.Toyota T, Morimoto T, Shiomi H, Yamaji K, Ando K, Ono K, Shizuta S, Saito N, Kato T, Kaji S, Furukawa Y, Nakagawa Y, Kadota K, Horie M, Kimura T; CREDO-Kyoto PCI/CABG Registry Cohort-2 Investigators. Single-session versus staged procedures for elective multivessel percutaneous coronary intervention. *Heart.* 2018 Jun;104(11):936-944.
- 72.Bourantas CV, Ramasamy A, Karagiannis A, Sakellarios A, Zanchin T, Yamaji K, Ueki Y, Shen X, Fotiadis DI, Michalis LK, Mathur A, Serruys PW, Garcia-Garcia HM, Koskinas K, Torii R, Windecker S, Räber L. Angiographic derived endothelial shear stress: a new predictor of atherosclerotic disease progression. *Eur Heart J Cardiovasc Imaging.* 2018 Jul 17 in press.
- 73.Zanchin C, Yamaji K, Rogge C, Lesche D, Zanchin T, Ueki Y, Windecker S, Mohacs P, Räber L, Sigurdardottir V. Progression of cardiac allograft vasculopathy assessed by serial three-vessel quantitative coronary angiography. *PLoS One.* 2018 Aug 27;13(8):e0202950.
- 74.Obeid S, Frangieh AH, Räber L, Yousif N, Gilhofer T, Yamaji K, Jaguszewski M, Aghlmandi S, Adams J, Bockhorn Y, Templin C, Stähli BE, Jüni P, Rodondi N, Mach F, Roffi M, Windecker S, Maier W, Nietlispach F, Matter CM, Klingenberg R, Lüscher TF. Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. *Cardiol Res Pract.* 2018 Sep 25;2018:9762176.
- 75.Higami H, Toyofuku M, Morimoto T, Ohya M, Fuku Y, Yamaji K, Muranishi H, Yamaji Y, Nishida K, Furukawa D, Tada T, Ko E, Ando K, Sakamoto H, Tamura T, Kawai K, Kadota K, Kimura T; AOI-LMCA Stenting Registry Investigators. Acute Coronary Syndrome With Unprotected Left Main Coronary Artery Culprit - An Observation From the AOI-LMCA Registry. *Circ J.* 2018 in press.

76. Numasawa Y, Inohara T, Ishii H, Yamaji K, Hirano K, Kohsaka S, Sawano M, Kuno T, Kodaira M, Uemura S, Kadota K, Amano T, Nakamura M; J-PCI Registry Investigators. An overview of percutaneous coronary intervention in dialysis patients: Insights from a Japanese nationwide registry. *Catheter Cardiovasc Interv*. 2018 in press.

77. Räber L, Koskinas KC, Yamaji K, Taniwaki M, Roffi M, Holmvang L, Garcia Garcia HM, Zanchin T, Maldonado R, Moschovitis A, Pedrazzini G, Zaugg S, Dijkstra J, Matter CM, Serruys PW, Lüscher TF, Kelbaek H, Karagiannis A, Radu MD, Windecker S. Changes in Coronary Plaque Composition in Patients With Acute Myocardial Infarction Treated With High-Intensity Statin Therapy (IBIS-4): A Serial Optical Coherence Tomography Study. *JACC Cardiovasc Imaging*. 2018 in press.

78. Toyota T, Morimoto T, Shiomi H, Yamaji K, Ando K, Ono K, Shizuta S, Saito N, Kato T, Kaji S, Furukawa Y, Nakagawa Y, Kadota K, Horie M, Kimura T; CREDO-Kyoto PCI/CABG Registry Cohort-2 Investigators. Single-session versus staged procedures for elective multivessel percutaneous coronary intervention. *Heart*. 2018 Jun;104(11):936-944.

79. Numasawa Y, Inohara T, Ishii H, Yamaji K, Kohsaka S, Sawano M, Kodaira M, Uemura S, Kadota K, Amano T, Nakamura M; J-PCI Registry Investigators. Comparison of Outcomes After Percutaneous Coronary Intervention in Elderly Patients, Including 10 628 Nonagenarians: Insights From a Japanese Nationwide Registry (J-PCI Registry). *J Am Heart Assoc*. 2019 Mar 5;8(5):e011183.

80. Räber L, Yamaji K, Kelbæk H, Engstrøm T, Baumbach A, Roffi M, von Birgelen C, Taniwaki M, Moschovitis A, Zaugg S, Ostoicic M, Pedrazzini G, Karagiannis-Voules DA, Lüscher TF, Kornowski R, Tüller D, Vukcevic V, Heg D, Windecker S. Five-year clinical outcomes and intracoronary imaging findings of the COMFORTABLE AMI trial: randomized comparison of biodegradable polymer-based biolimus-eluting stents with bare-metal stents in patients with acute ST-segment elevation myocardial infarction. *Eur Heart J*. 2019 in press.

81. Fischer K, Yamaji K, Luescher S, Ueki Y, Jung B, von Tengg-Kobligk H, Windecker S, Friedrich MG, Eberle B, Guensch DP. Feasibility of cardiovascular magnetic resonance to detect oxygenation deficits in patients with multi-vessel coronary artery disease triggered by breathing maneuvers. *J Cardiovasc Magn Reson*. 2018;20(1):31.

82. Bourantas CV, Zanchin T, Sakellarios A, Karagiannis A, Ramasamy A, Yamaji K, Taniwaki M, Heg D, Moschovitis A, Fotiadis D, Mihalis L, Baumbach A, Torrii R, Serruys P, Garcia-Garcia HM, Windecker S, Räber L. Implications of the local haemodynamic forces on the phenotype of coronary plaques. *Heart*. 2019 in press.

83. Zanchin C, Yamaji K, Rogge C, Lesche D, Zanchin T, Ueki Y, Windecker S, Mohacs P, Räber L, Sigurdardottir V. Progression of cardiac allograft vasculopathy assessed by serial three-vessel quantitative coronary angiography. *PLoS One*. 2018 Aug 27;13(8):e0202950.